


Success and Security  
for the Labelprinter.

**gallus**

# Gallus Labelmaster

Less complexity – more flexibility.




[www.gallus-group.com](http://www.gallus-group.com)

Member of the Heidelberg Group

# Less complexity – more flexibility

The Gallus Labelmaster is redefining the conventional label printing. Gallus Labelmaster offers less complexity, a unique and perfect price-performance-ratio with the well-known Gallus quality and delivers the highest cost-effectiveness in the label printing industry.



### Gallus Labelmaster

With the development of this new machine platform Gallus® offers a new conventional label printing press to the label market with a unique flexibility which is nearly unbeatable. Three different base modules allow to configure a printing press which fits to every business model in the label printing industry and with a web width of 440 mm the Gallus Labelmaster can print on almost every kind of substrate.

#### Profitability

With the shortest web path, fastest setup and make ready times ever, you get the lowest waste levels with a perfect register from the first print on. The Gallus Labelmaster requires the lowest amount of ink and prints at a reliable high speed. With the Gallus Labelmaster you enhance your profitability.

#### Simplicity

The Gallus Labelmaster can be operated with minimal operator training. A highly intuitive operating philosophy and automated presetting functions are supporting the operator for short setup times and low waste levels. World class performance becomes true.

#### Flexibility

The unique modularity offers a completely new level of configuration possibilities. According to your needs it is possible to add flexibility on each station to fulfil your requirements. The Gallus Labelmaster is a machine platform suitable for your individual needs.

#### Quality

The Gallus Labelmaster gives you premium quality from the start. With direct servo drives, gearless printing cylinders and anilox rolls you will print faster than ever with the best printing quality. The Gallus Labelmaster has a perfect and stable register behaviour irrespective of the machine speed.

#### Speed

The Gallus Labelmaster offers a reliable flexo printing speed up to 200 m/min. Because of the new ink chamber design you get an optimized printing behaviour at every speed.


# Gallus Labelmaster



## Reliability

Straightforward and reliable – the flexo printing units with best practice operability.

- Highest reliable flexo printing speed
- Supported by optimized ink chamber design
- Perfect register behavior irrespective of speed



## Sturdiness

The sturdiness of the Gallus Labelmaster is given by the robust and precise design of the base unit. All processes are placed on the locking device.

- Local manipulations at the printing unit
- Gearless servo driven printing cylinders and anilox rolls

## Ease of use

The Gallus Labelmaster offers a unique concept for best print quality and fast setup and make ready times.

- Best spot interaction: Manipulations are located in the focus of the operator and thus offer fastest setup and make ready times.
- Direct driven light weight aluminium printing cylinder with bearer rings

## User interface

Efficient repeat prints and reduced setup time thanks to job data storage.

- Adaptive on all Gallus machines
- Small learning curve
- Intuitively usable
- Ergonomic design



# Gallus Labelmaster

## Technical specifications

### Machine system Gallus Labelmaster

#### Machine specifications

Mechanical machine speed max.	200 m/min	656 ft/min
Web width max.	445 mm	17.5"
Web width min.	220 mm	8.7"

#### Printing

Printing width max.	440 mm	17.3"
Format length max.	635 mm	25"
Format length min.	*1) 203.2 mm	8"
Number of print operations max.	14	

#### Drying

UV	✓
Hot-air drying	✓

#### Rotary processing

Processing width max.	440 mm	17.3"
Format length max.	635 mm	25"
Format length min.	254 mm	10"
Number of processing operations max.	6	

#### Substrates

PS materials	50 - 200 µm
Paper	50 - 250 µm
Monofoil label materials	on request
Cardboard	on request
Tube laminates	on request

#### Remote diagnosis

Gallus remote Access	✓
----------------------	---

All rights reserved to change the specifications

\*1) Screen from 254 mm / 10"

All technical data represent approximate values. Gallus reserves the right to make mechanical and design modifications.

Gallus Ferd. Ruesch AG  
Harzbüchelstrasse 34  
9016 St. Gallen, Schweiz  
T +41 71 242 86 86  
F +41 71 242 89 89  
info@gallus-group.com  
www.gallus-group.com